

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"606462".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 15:50
S2	165785	processors ((many multiple plurality) adj processors) multi\$processor\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 16:18
S3	6430	((many multiple plurality) adj partition\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:11
S4	201	S2 with S3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 16:18
S5	5	S4 with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:44
S6	5	"177415".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 16:22
S7	5	"388076".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 16:22
S8	67749	((many multiple plurality) adj (partition\$1 cell\$1 block\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:12
S9	379	S2 with S8	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:12
S10	10	S9 same interrupt	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:12
S11	5	S4 with (reboot\$3 reset\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:20
S12	21	S4 same (reboot\$3 reset\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:20

S13	0	S4 with (partition adj reset\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:44
S14	3	S4 with (partition near6 reset\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/14 17:45
S15	154839	processors ((many multiple plurality) adj processors)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 08:08
S16	4156	(many multiple plurality) adj partitions	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 08:09
S17	709	S15 near6 partition	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 08:10
S18	88	S16 same S17	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 08:10
S19	5	S18 same reset\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 08:10
S20	6	S18 same reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 10:10
S21	15	("20020144177" "4903194" "5018060" "5297269" "5604882" "5615334" "5623635" "5652885" "6012127" "6088770" "6170044" "6189078" "6314501" "6463510" "6470429").PN. OR ("6826653"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/15 08:15
S22	6	"314214".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 10:10
S23	91	S15 with hypervisor\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 10:43

S24	1	S23 with reset	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 10:43
S25	3	S23 same reset	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 10:43
S26	4	S23 same reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 10:43
S27	1358	S15 with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:38
S28	5	S27 with (processor\$1 adj (address\$2 pointer\$1 location\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:35
S29	903	S15 near6 reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:38
S30	0	S29 near6 (processor\$1 adj (address\$2 pointer\$1 location\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:38
S31	0	S29 same ((list buffer queue stack cache) near10 (processor\$1 adj (address\$2 pointer\$1 location\$1)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:40
S32	13	S29 same (processor\$1 adj (address\$2 pointer\$1 location\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:47
S33	1	(processors near8 reset\$4) with (list adresses)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:48
S34	999	(processors near8 reset\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:49
S35	1	processors near8 reset\$4 near8 list	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:49

S36	0	processors near8 reset\$4 near8 adresses	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:49
S37	5	processors near8 reset\$4 near8 adresses	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:49
S38	184	S34 and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:53
S39	162	S29 and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:54
S40	32	S29 same (list addresses)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:38
S41	0	S40 and 713/&.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 11:54
S42	60	(build\$3 creat\$3 mak\$3) near4 (list queue stack) near4 (processors)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:40
S43	7	(build\$3 creat\$3 mak\$3) near4 (list queue stack) with (processor\$1 near3 (addresses locations))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:42
S44	43231	(build\$3 creat\$3 mak\$3) near4 (list queue stack)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:42
S45	20	(build\$3 creat\$3 mak\$3) near4 (list queue stack) same (processor\$1 near6 addresses)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:49
S46	43231	(build\$3 creat\$3 mak\$3) near4 (list queue stack)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:50
S47	2113	(build\$3 creat\$3 mak\$3) near10 ((address\$2 location\$1) near3 (list queue stack))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:05

S48	22	S47 same processors	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:55
S49	157	partition\$1 with ((build\$3 creat\$3 mak\$3) near4 (list queue stack))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:59
S50	6	S49 with processors	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:56
S51	157	partition\$1 with ((build\$3 creat\$3 mak\$3) near4 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 12:59
S52	130	partition\$1 near10 ((build\$3 creat\$3 mak\$3) near4 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:04
S53	1360	(build\$3 creat\$3 mak\$3) adj10 (((address\$2 location\$1) near3 (list queue stack)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:35
S54	4	S53 with processors	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:06
S55	55	S53 and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:13
S56	24	partition\$1 near6 (list near6 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:13
S57	1	(build\$3 creat\$3 mak\$3) adj10 ((list queue satck) near3 (reset adj register\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:36
S58	1	(build\$3 creat\$3 mak\$3) with ((list queue satck) near3 (reset adj register\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:36
S59	1	(build\$3 creat\$3 mak\$3) near10 ((list queue satck) near3 (reset\$4 adj register\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:37

S60	1	(build\$3 creat\$3 mak\$3) near10 ((list queue stack) near3 (reset\$4 adj register\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:37
S61	3	(list queue stack) near3 (reset\$4 adj register\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:38
S62	2	(list) with (reset\$4 adj register\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:39
S63	3843	list near3 processor\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:39
S64	0	S63 with (reset\$4 adj register\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:40
S65	236	S63 with (register\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:40
S66	2	S65 with partition\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 13:41
S67	700	partitions with (processors ((many multiple plurality) adj processors))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 14:24
S68	11	S67 with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 14:25
S69	11	build\$3 near5 list near5 register	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:46
S70	10613	(build\$3 generat\$3 creat\$3 mak\$3) near3 (list\$3 tabl\$3) near5 (address\$2 id\$1 identif\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:55
S71	42	S70 with reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:50

S72	1	S71 same (processors ((many multiple plurality) adj processors) multi\$processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:48
S73	2	S70 with (reset\$4 near5 register\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:51
S74	468	S70 with (register\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:51
S75	1	S74 same (processors ((many multiple plurality) adj processors) multi\$processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:51
S76	19	S74 and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:52
S77	112702	(build\$3 generat\$3 creat\$3 mak\$3) near3 (list\$3 tabl\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:55
S78	283	S77 near10 ((register\$1 processor\$1) near3 (address\$2 location\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 15:56
S79	492	hypervisor	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 17:14
S80	21	S79 with ((build\$3 generat\$3 creat\$3 mak\$3) near3 (list\$3 tabl\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 17:17
S81	4	S79 with ((build\$3 generat\$3 creat\$3 mak\$3) near3 (list\$3 tabl\$3) near3 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 17:15
S82	92228	((build\$3 generat\$3 creat\$3 mak\$3) near3 (list table))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 07:56
S83	2713	S82 near10 processor\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 17:18

S84	169	S82 near10 ((location\$1 register\$1 address\$2) near6 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 17:20
S85	11	S82 near10 ((location\$1 register\$1 address\$2) near6 processors)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 17:23
S86	43	S82 same ((location\$1 register\$1 address\$2) near6 processors)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/15 17:23
S87	122048	(build\$3 generat\$3 creat\$3 mak\$3) near10 processor\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 07:58
S88	13504	S87 near10 (location\$1 register\$1 address\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 07:57
S89	3964462	(build\$3 generat\$3 creat\$3 mak\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 07:59
S90	10032	S89 near10 ((location\$1 register\$1 address\$2) near6 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 07:59
S91	8743	S89 near6 ((location\$1 register\$1 address\$2) near6 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:00
S92	4287870	(build\$3 generat\$3 creat\$3 mak\$3 stor\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:00
S93	12922	S92 near6 ((location\$1 register\$1 address\$2) near3 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:01
S94	10055	S92 near3 ((location\$1 register\$1 address\$2) near3 processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:03
S95	109	(stor\$3 sav\$3) near3 (memory buffer cache) near3 (processor\$1 adj (location\$1 address\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:14

S96	4525	processor\$1 adj (location\$1 address\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:15
S97	288	S96 near3 register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:15
S98	18902	processor\$1 adj2 (location\$1 address\$2 register\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:19
S99	430	S98 near3 (list\$3 table)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:17
S10 0	97	S99 near6 (build\$3 generat\$3 creat\$3 mak\$3 stor\$3 sav\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:17
S10 1	126	S98 near3 (list\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:18
S10 2	7931	processor\$1 adj2 register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:20
S10 3	752	S102 near3 (address\$2 location\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:22
S10 4	525	S102 near3 address\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:20
S10 5	1272	S102 near3 (list\$3 stor\$3 gather\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:21
S10 6	100	S105 near3 address\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:21
S10 7	389	S102 adj3 (address\$2 location\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:23

S108	47	S107 adj6 (build\$3 generat\$3 creat\$3 mak\$3 stor\$3 sav\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:28
S109	122	processor\$1 adj3 (register adj address\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:28
S110	7	(list\$3 stor\$3 sav\$3) adj6 S109	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/16 08:29
S111	0	"5717942".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 15:51
S112	1	"5717942".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:05
S113	14395	register\$1 adj (address\$2 location\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:18
S114	106	S113 near3 (build\$3 creat\$3 construct\$3 mak\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:09
S115	9	S114 near3 (list table structure)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:10
S116	3	reset adj (register\$1 adj (address\$2 location\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:24
S117	1912	reset adj register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:24
S118	13	S117 near3 (list table structure)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:27
S119	10	processor\$1 adj S117	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:27

S12 0	0	S119 same (list\$3 table structure build\$3 creat\$3 construct\$3 mak\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:38
S12 1	0	S119 same (where list\$3 table structure build\$3 creat\$3 construct\$3 mak\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:38
S12 2	4	S119 same (where list\$3 table structure build\$3 creat\$3 construct\$3 mak\$3 location\$1 address\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:40
S12 3	116088	register\$1 near10 (where list\$3 table structure build\$3 creat\$3 construct\$3 mak\$3 location\$1 address\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:41
S12 4	121	(reset adj register\$1) near10 (where list\$3 table structure build\$3 creat\$3 construct\$3 mak\$3 location\$1 address\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:45
S12 5	6	"077947".ap.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/19 16:45
S12 6	38	("4300192" "5144551" "5163147" "5210844" "5321825" "5345590" "5396609" "5416921" "5423044").PN. OR ("5564040").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 15:52
S12 7	1	"4,843,541".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/21 17:35
S12 8	8	(reset\$4 adj code) near10 firmware	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 08:35
S12 9	895	(reset\$4) near6 firmware	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 08:36
S13 0	495	(reset\$4) near3 firmware	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 08:36
S13 1	11	S130 with (saved stored)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 08:36

S13 2	701	reset\$4 adj code	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:31
S13 3	58	S132 near10 (memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:41
S13 4	0	S132 near10 (read\$only adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:41
S13 5	0	S132 with (read\$only adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:41
S13 6	640	execution with (read\$only adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:41
S13 7	397	execution near10 (read\$only adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:42
S13 8	14	execution near10 (read\$only adj memory) near10 (main adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:44
S13 9	0	execution near10 (to adj read\$only adj memory) near10 (from adj main adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:44
S14 0	0	execution near10 (switched turned moved) near10 (read\$only adj memory) near10 (main adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:46
S14 1	14	execution near10 (read\$only adj memory) near10 (main adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:45
S14 2	0	execution near10 (switched turned moved) near10 (to adj read\$only adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:46
S14 3	0	execut\$4 near10 (switched turned moved) near10 (to adj read\$only adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:46

S14 4	0	execut\$4 near10 (switch\$3 turn\$3 mov\$3) near10 (to adj read\$only adj memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:47
S14 5	0	execut\$4 near10 (switch\$3 turn\$3 mov\$3) near10 (to adj read\$only)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:47
S14 6	66251	execut\$4 near10 (switch\$3 turn\$3 mov\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:47
S14 7	95773	execut\$4 near10 (switch\$3 turn\$3 mov\$3 chang\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:47
S14 8	1494	S147 near10 ((read adj only adj memory) rom)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:49
S14 9	0	S147 near10 (to adj ((read adj only adj memory) rom))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:48
S15 0	129	S148 same reset\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 09:49
S15 1	7	cell near10 (reset adj register)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 10:09
S15 2	53	processor\$1 near10 (reset adj register)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 10:09
S15 3	598	reset near3 list	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:47
S15 4	9	S153 near3 register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:44
S15 5	851	reset\$4 near3 list	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:45

S15 6	25	S155 near3 register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:45
S15 7	2999	register\$1 near3 list	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:47
S15 8	11	S157 near3 reset	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:47
S15 9	5310	last near3 list	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:48
S16 0	212	S159 near10 (execut\$3 perform\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:48
S16 1	0	S160 near10 reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:48
S16 2	7	S160 near10 code	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:56
S16 3	29311	(build\$3 creat\$3 mak\$3) near5 list	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 13:59
S16 4	175	S163 near5 register\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:00
S16 5	516224	processor\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:10
S16 6	7741	S165 near3 reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:02
S16 7	91	S166 near6 itself	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:07

S16 8	2	S167 near6 (next last\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:02
S16 9	825	S166 near6 after	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:07
S17 0	5	S169 near6 itself	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:07
S17 1	518989	processor\$1 multi\$processor\$1 ((plurality many multiple) adj processor\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:23
S17 2	10326	S171 near6 reset\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:13
S17 3	130	S172 near6 itself	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:12
S17 4	1	S173 near6 last	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:12
S17 5	76	S171 near6 (reset\$4 adj3 itself)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:16
S17 6	7	S175 near10 (after last)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:14
S17 7	655	(reset\$4 adj3 itself) near6 (after last)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:19
S17 8	28	S177 same processor\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:17
S17 9	0	(reset\$4 adj3 itself) near6 (after last) near6 (all others)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:20

S18 0	12	(reset\$4 adj3 itself) near6 (after last) near6 (every)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:21
S18 1	12	((reboot\$3 reset\$4) adj3 itself) near6 (after last) near6 (every)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:22
S18 2	14	((reboot\$3 reset\$4) adj5 itself) near6 (after last) near6 (every)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:22
S18 3	298	S171 same (((reboot\$3 reset\$4) adj5 itself))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:24
S18 4	110	S171 near10 (((reboot\$3 reset\$4) adj5 itself))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:24
S18 5	0	S171 same ((after adj6 all) with (reset\$3 adj6 itself))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:26
S18 6	0	((after adj6 all) with (reset\$3 adj6 itself))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:26
S18 7	0	((after adj6 (all others)) with (reset\$3 adj6 itself))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:26
S18 8	0	((after adj6 (all others)) with ((reset\$3 reboot\$3) adj6 itself))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:26
S18 9	29760	after adj6 (reset\$3 reboot\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:27
S19 0	403	S189 with (others all list table)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:27
S19 1	7	S190 with (itself last)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:28

S19 2	94	system adj abstraction adj layer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:54
S19 3	29	S192 with firmware	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:44
S19 4	2	S193 same partition\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:43
S19 5	27	S192 near10 firmware	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:44
S19 6	1	S195 near10 partition\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:44
S19 7	4	system adj abstraction adj layer adj firmware	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 14:54
S19 8	24	(system adj abstraction adj layer). clm.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 15:01
S19 9	24	(system adj abstraction adj layer) near6 firmware	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 15:02
S20 0	0	(from adj virtual) same (to adj main)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 15:58
S20 1	2930	virtual near6 main	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:01
S20 2	0	S201 with (to and from)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 15:59
S20 3	157	S201 with (switch\$3 chang\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:00

S20 4	71	S203 and g06f\$	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:00
S20 5	6001	(virtual and main) near6 memory	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:02
S20 6	17091	virtual near6 memory	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:02
S20 7	71496	main near6 memory	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:02
S20 8	1653	S206 with S207	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:03
S20 9	56	S208 with (switch\$3 chang\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:03
S21 0	49	S209 and g06f\$	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:07
S21 1	0	S209 same reset	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:08
S21 2	19	S208 same reset	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/22 16:08